



Department of Biodiversity,
Conservation and Attractions



Biodiversity and
Conservation Science

*We're working for
Western Australia.*

Swan Canning Estuary Water Quality Monitoring Project

Weekly Water Quality Report


Canning Estuary and Lower Canning River

16th May 2023

Prepared by

Rivers and Estuaries Science
Biodiversity and Conservation Science
Department of Biodiversity, Conservation and Attractions

Canning Estuary and Lower Canning River - Water Quality Profiles – 16th May 2023



Date: 16th May 2023

Weather & tide conditions: Conditions were cloudy with a predominantly easterly breeze of up to 3.4 knots. The predicted tides at Barrack St were 0.86 m at 3:07 am (low tide), 1.11 m at 10:00 am (high tide), and 0.88 m at 5:46 pm (2nd low tide). Perth recorded 13.4 mm of rainfall in the week prior to sampling (Bureau of Meteorology).

Oxygenation: The Bacon St oxygenation plants was operable but not triggered to provide oxygen in the 24 hours prior to sampling, while the Nicholson Rd oxygenation plant was operable and provided oxygen in the 24 hours prior to sampling.

Canning Estuary (SCB2 to CASMID): Waters were saline between SCB2 and SAL, and brackish over saline at RIV and CASMID. Waters were oxygenated to well oxygenated from SCB2 to RIV, and low in oxygen in the bottom to mid column at CASMID. Chlorophyll fluorescence was low throughout, and water temperatures ranged from 15.6 °C to 20.2 °C at the time of sampling.

Lower Canning River (KEN to ELL): The Lower Canning River was fresh, and waters were oxygenated to well oxygenated throughout. Chlorophyll fluorescence was low and water temperatures ranged from 15.1 °C to 16.1 °C.

NB: Profile plots are visual interpolations of measured parameters only. Detailed data are available at wir.water.wa.gov.au.

Oxygenation Plant Operational Status:

- ▲ Operating for part or all of the 24 hours prior to sampling
- ▲ Operable but not triggered to operate in the 24 hours prior to sampling
- ▲ Inoperable for part or all of the 24 hours prior to sampling

Definitions:

Salinity – fresh <5, brackish 5-25, saline 25-35, hypersaline >35
Dissolved oxygen – well oxygenated >6 mg L⁻¹, oxygenated >4-6 mg L⁻¹, low oxygen >2-4 mg L⁻¹, hypoxic 0.5-2 mg L⁻¹, anoxic <0.5 mg L⁻¹
Chlorophyll fluorescence (low flow): low < 50 µg L⁻¹, moderate 50-150 µg L⁻¹, high 150-400 µg L⁻¹, extreme > 400 µg L⁻¹