

Swan Canning Estuary Water Quality Monitoring Project

Weekly Water Quality Report


Lower Swan Canning Estuary to Upper Swan Estuary

5th February 2024


Prepared by

Rivers and Estuaries Science
Biodiversity and Conservation Science
Department of Biodiversity, Conservation and Attractions

Swan Canning Estuary - Water Quality Profiles – 5th February 2024



Swan Canning Estuary - Water Quality Profiles – 5th February 2024



Date: 5th February 2024

<u>Weather & tide conditions</u>: Conditions were sunny with a predominately south easterly breeze of up to 12.4 knots. The predicted tides at Barrack St were 0.56 m at 6:34 am (low tide) and 1.14 m at 7:22 pm (high tide). Perth recorded 0.2 mm of rainfall in the week prior to sampling (Bureau of Meteorology).

<u>Oxygenation</u>: The Guildford and Caversham oxygenation plants were triggered to provide oxygen in the 24 hours prior to sampling.

<u>Lower Swan Canning Estuary (FP1 to NAR)</u>: The Lower Swan Canning Estuary was hypersaline and waters were oxygenated to well oxygenated. Chlorophyll fluorescence was low and water temperatures ranged from 24.1 to 25.0 °C at the time of sampling.

<u>Middle Swan Estuary (NIL to RON)</u>: The Middle Swan Estuary was saline and waters were oxygenated to well oxygenated. Chlorophyll fluorescence was moderate at MAY and in the subsurface waters of STJ and RON. Water temperatures ranged from 25.7 to 27.5 °C at the time of sampling.

<u>Upper Swan Estuary (SAND to POL)</u>: The Upper Swan Estuary was saline at SAND, brackish over saline at KIN and brackish from KMO to POL. Waters were oxygenated to well oxygenated, except for bottom waters at MSB which were low in oxygen. Chlorophyll fluorescence was moderate, except at CAV where it was low. Water temperatures ranged from 26 to 28.3 °C.

NB: Profile plots are visual interpolations of measured parameters only. Detailed data are available at wir.water.wa.gov.au.

Oxygenation Plant Operational Status:

Operating for part or all of the 24 hours prior to sampling

△ Operable but not triggered to operate in the 24 hours prior to sampling

▲ Inoperable for part or all of the 24 hours prior to sampling

Definitions:

Salinity - fresh <5, brackish 5-25, saline 25-35, hypersaline >35

<u>Dissolved oxygen</u> – well oxygenated >6 mg L⁻¹, oxygenated >4-6 mg L⁻¹, low oxygen >2-4 mg L⁻¹,

hypoxic 0.5-2 mg L^{-1} , anoxic <0.5 mg L^{-1}

Chlorophyll fluorescence (mod/high flow): low < 50 μ g L⁻¹, moderate 50-150 μ g L⁻¹, high 150-400 μ g L⁻¹, extreme > 400 μ g L⁻¹

Recommended reference: Department of Biodiversity, Conservation and Attractions, 2024. Swan Canning Estuary water quality profile report, Lower Swan Canning Estuary to Upper Swan Estuary 5th February 2024. Rivers and Estuaries Science (https://www.dpaw.wa.gov.au/management/swan-canning-riverpark)