

# Swan Canning Estuary Water Quality Monitoring Project

**Weekly Water Quality Report** 

**Lower Swan Canning Estuary to Upper Swan Estuary** 

22<sup>nd</sup> April 2024


Prepared by

Rivers and Estuaries Science
Biodiversity and Conservation Science
Department of Biodiversity, Conservation and Attractions

Biodiversity and Conservation Science


We're working for Western Australia.

## Swan Canning Estuary - Water Quality Profiles – 22nd April 2024



WESTERN AUSTRALIA

# Swan Canning Estuary - Water Quality Profiles – 22nd April 2024



*Date*: 22<sup>nd</sup> April 2024

Weather & tide conditions: Conditions were mostly clear with easterly winds of up to 12.8 knots. The predicted tides at Barrack St were 0.81 m at 4:01 am (low tide), 1.09 m at 11:00 am (high tide), 0.85 m at 6:01 pm (second low tide) and 0.94 m at 11:15 pm (second high tide). Perth recorded no rainfall in the week prior to sampling (Bureau of Meteorology).

<u>Oxygenation</u>: The Guildford and Caversham oxygenation plants were triggered to provide oxygen in the 24 hours prior to sampling.

<u>Lower Swan Canning Estuary (FP1 to NAR)</u>: The Lower Swan Canning Estuary was hypersaline, waters were well oxygenated and chlorophyll fluorescence was low. Water temperatures ranged from 20.8 to 21.2 °C at the time of sampling.

<u>Middle Swan Estuary (NIL to RON)</u>: The Middle Swan Estuary was hypersaline from NIL to MAY and saline at RON, waters were oxygenated or well oxygenated and chlorophyll fluorescence was low. Water temperatures ranged from 21.3 to 22.4 °C at the time of sampling.

<u>Upper Swan Estuary (SAND to POL)</u>: The Upper Swan Estuary was saline from SAND to POL, waters were oxygenated or well oxygenated and chlorophyll fluorescence was low. Water temperatures ranged from 20.6 to 21.8 °C.

NB: Profile plots are visual interpolations of measured parameters only. Detailed data are available at wir.water.wa.gov.au.

### Oxygenation Plant Operational Status:

- Operating for part or all of the 24 hours prior to sampling
- △ Operable but not triggered to operate in the 24 hours prior to sampling
- ▲ Inoperable for part or all of the 24 hours prior to sampling

### **Definitions:**

Salinity – fresh <5, brackish 5-25, saline 25-35, hypersaline >35

<u>Dissolved oxygen</u> – well oxygenated >6 mg  $L^{-1}$ , oxygenated >4-6 mg  $L^{-1}$ , low oxygen >2-4 mg  $L^{-1}$ , hypoxic 0.5-2 mg  $L^{-1}$ , anoxic <0.5 mg  $L^{-1}$ 

<u>Chlorophyll fluorescence (mod/high flow)</u>: low <  $50 \,\mu g \, L^{-1}$ , moderate  $50-150 \,\mu g \, L^{-1}$ , high  $150-400 \,\mu g \, L^{-1}$  extreme >  $400 \,\mu g \, L^{-1}$ 

Recommended reference: Department of Biodiversity, Conservation and Attractions, 2024. Swan Canning Estuary water quality profile report, Lower Swan Canning Estuary to Upper Swan Estuary 22<sup>nd</sup> April 2024. Rivers and Estuaries Science (https://www.dpaw.wa.gov.au/management/swan-canning-riverpark)