

# Swan Canning Estuary Water Quality Monitoring Project

## Weekly Water Quality Report


### Canning Estuary and Lower Canning River

8 April 2025

Prepared by

Rivers and Estuaries Science  
Biodiversity and Conservation Science  
Department of Biodiversity, Conservation and Attractions

## Canning Estuary and Lower Canning River - Water Quality Profiles – 8 April 2025



Date: 8 April 2025

Weather & tide conditions: Conditions were mostly clear with a variable breeze of up to 3.3 knots. The predicted tides at Barrack St were 0.70 m at 5:01 am (low tide) and 1.06 m at 8:26 pm (high tide). Perth recorded 0.8 mm of rainfall in the week prior to sampling (Bureau of Meteorology).

Oxygenation: The Bacon St and Nicholson Rd oxygenation plants were both triggered to provide oxygen in the 24 hours prior to sampling.

Canning Estuary (SCB2 to CASMID): The Canning Estuary was hypersaline from SCB2 to SAL, saline at RIV and brackish over saline at CASMID. Waters were oxygenated or well oxygenated, except for bottom waters at CASMID which were low in oxygen. Chlorophyll fluorescence was moderate in subsurface waters at CASMID. Water temperatures ranged from 21.4 to 23.4 °C at the time of sampling.

Lower Canning River (KEN to ELL): The Lower Canning River was fresh. Waters were oxygenated or well oxygenated except for bottom waters at ELL which were low in oxygen. Chlorophyll fluorescence was low and water temperatures ranged from 20.6 to 23.0 °C at the time of sampling.

NB: Profile plots are visual interpolations of measured parameters only. Detailed data are available at [wir.water.wa.gov.au](http://wir.water.wa.gov.au).

**Oxygenation Plant Operational Status:**

- ▲ Operating for part or all of the 24 hours prior to sampling
- ▲ Operable but not triggered to operate in the 24 hours prior to sampling
- ▲ Inoperable for part or all of the 24 hours prior to sampling

**Definitions:**

Salinity – fresh <5, brackish 5-25, saline 25-35, hypersaline >35

Dissolved oxygen – well oxygenated >6 mg L<sup>-1</sup>, oxygenated >4-6 mg L<sup>-1</sup>, low oxygen >2-4 mg L<sup>-1</sup>, hypoxic 0.5-2 mg L<sup>-1</sup>, anoxic <0.5 mg L<sup>-1</sup>

Chlorophyll fluorescence (low flow): low < 50 µg L<sup>-1</sup>, moderate 50-150 µg L<sup>-1</sup>, high 150-400 µg L<sup>-1</sup>, extreme > 400 µg L<sup>-1</sup>