

# Swan Canning Estuary Water Quality Monitoring Project

## Weekly Water Quality Report


### Canning Estuary and Lower Canning River

24 June 2025

Prepared by

Rivers and Estuaries Science  
Biodiversity and Conservation Science  
Department of Biodiversity, Conservation and Attractions

## Canning Estuary and Lower Canning River - Water Quality Profiles – 24 June 2025



Date: 24 June 2025

Weather & tide conditions: Conditions were overcast with a variable breeze of up to 3.2 knots. The predicted tides at Barrack St were 1.37 m at 9:49 am (high tide) and 0.65 m at 9:00 pm (low tide). Perth recorded 72.8 mm of rainfall in the week prior to sampling (Bureau of Meteorology).

Oxygenation: The Bacon St and Nicholson Rd oxygenation plants were triggered to provide oxygen in the 24 hours prior to sampling.

Canning Estuary (SCB2 to CASMID): The Canning Estuary was brackish over saline from SCB2 to SAL and fresh between RIV and CASMID. Waters were oxygenated or well oxygenated, except for bottom waters from SAL to RIV which were low in oxygen. Chlorophyll fluorescence was low and temperature ranged from 12.0 to 17.6 °C.

Lower Canning River (KEN to ELL): The Lower Canning River was fresh, waters were well oxygenated and chlorophyll fluorescence was low. Water temperatures ranged from 14.0 to 15.0 °C at the time of sampling.

NB: Profile plots are visual interpolations of measured parameters only. Detailed data are available at [wir.water.wa.gov.au](http://wir.water.wa.gov.au).

**Oxygenation Plant Operational Status:**

- ▲ Operating for part or all of the 24 hours prior to sampling
- ▲ Operable but not triggered to operate in the 24 hours prior to sampling
- ▲ Inoperable for part or all of the 24 hours prior to sampling

**Definitions:**

Salinity – fresh <5, brackish 5-25, saline 25-35, hypersaline >35

Dissolved oxygen – well oxygenated >6 mg L<sup>-1</sup>, oxygenated >4-6 mg L<sup>-1</sup>, low oxygen >2-4 mg L<sup>-1</sup>, hypoxic 0.5-2 mg L<sup>-1</sup>, anoxic <0.5 mg L<sup>-1</sup>

Chlorophyll fluorescence (low flow): low < 50 µg L<sup>-1</sup>, moderate 50-150 µg L<sup>-1</sup>, high 150-400 µg L<sup>-1</sup>, extreme > 400 µg L<sup>-1</sup>