

Swan Canning Estuary Water Quality Monitoring Project

Weekly Water Quality Report


Canning Estuary and Lower Canning River

5 August 2025

Prepared by

Rivers and Estuaries Science
Biodiversity and Conservation Science
Department of Biodiversity, Conservation and Attractions

Canning Estuary and Lower Canning River - Water Quality Profiles – 5 August 2025



Date: 5 August 2025

<u>Weather & tide conditions</u>: Conditions were overcast with a north-easterly breeze of up to 4.5 knots. The predicted tides at Barrack St were 1.18 m at 7:54 am (high tide) and 0.69 m at 7:05 pm (high tide). Perth recorded 50.6 mm of rainfall in the week prior to sampling (Bureau of Meteorology).

<u>Oxygenation</u>: The Bacon St and Nicholson Rd oxygenation plants were operable but not triggered to provide oxygen in the 24 hours prior to sampling.

<u>Canning Estuary (SCB2 to RIV)</u>: The Canning Estuary was fresh over saline at SCB2, fresh over brackish at SAL, and fresh from RIV - CASMID. Waters were oxygenated or well oxygenated except for bottom waters at SCB2 and SAL which were low in oxygen. Chlorophyll fluorescence was low. Water temperatures ranged from 12.9 to 15.3 °C.

<u>Lower Canning River (KEN to PO2)</u>: The Lower Canning River was fresh and well oxygenated, with low chlorophyll fluorescence. Water temperatures ranged from 13.2 to 13.3 °C.

NB: Profile plots are visual interpolations of measured parameters only. Detailed data are available at wir.water.wa.gov.au.

Oxygenation Plant Operational Status:

Operating for part or all of the 24 hours prior to sampling

▲ Operable but not triggered to operate in the 24 hours prior to sampling

▲ Inoperable for part or all of the 24 hours prior to sampling

Definitions:

Salinity - fresh <5, brackish 5-25, saline 25-35, hypersaline >35

<u>Dissolved oxygen</u> – well oxygenated >6 mg L^{-1} , oxygenated >4-6 mg L^{-1} , low oxygen >2-4 mg L^{-1} , hypoxic 0.5-2 mg L^{-1} , anoxic <0.5 mg L^{-1}

Chlorophyll fluorescence (low flow): low < 50 μ g L⁻¹, moderate 50-150 μ g L⁻¹, high 150-400 μ g L⁻¹, extreme > 400 μ g L⁻¹

Recommended reference: Department of Biodiversity, Conservation and Attractions 2025. Swan Canning Estuary water quality profile report, Canning Estuary and Lower Canning River 5 August 2025. Rivers and Estuaries Science (https://www.dpaw.wa.gov.au/management/swan-canning-riverpark)